



Site Planning and Building Considerations



COLORADO
AQUAPONICS



THE Aquaponic SOURCE™
Growing Fish and Plants Together

Copyright (C) The Aquaponic Source

Presentation Topics

- Site Selection
- Greenhouse structures
 - Traditional greenhouses
 - Covering materials, orientation and loading
 - Passive solar, energy efficient designs
- Space planning and location
 - Interior, exterior
 - Aquaponics considerations

Copyright (C) The Aquaponic Source

Area and Location Considerations

- Regulations, zoning, land use, business development
- Transportation and accessibility
- Security and safety
- Market visibility, proximity to customers, retail presence
- Relative cost of land and building
- Personal residence or business location
- Temperature and seasonal factors impacting structure

Does the location fulfill the business mission?

Copyright (C) The Aquaponic Source

Site Selection Criteria

- Zoning – Is commercial greenhouse allowed?
- City or county entitlement process
- Utility availability, water quality
- Distance to customer base, distribution methods
- Size, setbacks, right of ways, sight lines
- Space designated for greenhouse or building
- Orientation, solar access, slope, drainage, soil quality
- Roads and physical access for trucks and equipment
- Security of site, surrounding areas

Copyright (C) The Aquaponic Source

4

Outdoor Growing

- Works best in tropical climates or long-seasonal growing
- Cover structures used to block rain and as sun shade
- Fish need to be protected from sun, predators
- Controls similar to field crop production
- Challenges with reptiles, birds and animals which can result in pathogen issues



Green Acre Aquaponics, FL



University of the Virgin Islands

5

What is Controlled Environment Agriculture?

- CEA is defined as an integrated science and engineering based approach to establish the most favorable environmental conditions for plant productivity while optimizing resources including water, energy, space, capital and labor, and thereby to provide the desired plant product or biological processes under controlled conditions

**University of Arizona, Controlled Environment Agriculture Center*

Copyright (C) The Aquaponic Source

6

Indoor Growing

Greenhouse structures or Hard lid buildings

- Bio-security controls
- Extended growing seasons, year round
- Protection from elements and outside climate
- Controlled resources usage; water, energy
- Ability to heat or cool
- Pest control and management
- Uses on unproductive land, rooftops or buildings

Copyright (C) The Aquaponic Source

7

Choosing a Greenhouse

- Production goals, market size
- Climate and environmental conditions
- Plant requirements
- Capital investment
- Cost of operations and resources
- Expected lifetime, depreciation, durability
- Technology, automation, labor requirements
- Supplier confidence, availability and support

Copyright (C) The Aquaponic Source

8

High Tunnel/Hoop House

- Plastic-covered structures that provide some environmental protection
- May have rollup sides and ends for venting
- Extend season or grow year round if temp controlled
- May or may not require building permit if considered temporary structure
- Works best in temperate climates
- \$2-3/sq ft
- Don't Use PVC for Support pipe!



Copyright (C) The Aquaponic Source

9

Greenhouse Styles



Quonset greenhouse



Arch greenhouse



"A" frame greenhouse



Retractable roof greenhouse

Copyright (C) The Aquaponic Source 10

Styles cont...



Wide single span greenhouse



Venlo (Dutch) greenhouse




Open roof (Cabrio) greenhouse



Multi bay (span) greenhouse

Copyright (C) The Aquaponic Source 11

Gutter Connect Greenhouse



Nexus Teton Quonset Style

Copyright (C) The Aquaponic Source 12

Traditional Greenhouses

Combined use of High and Low Technology

- Active and/passive cooling systems
- With/without heaters
- Simple environmental monitors and controls
- Substrate (soil/soiless)
- Aluminum Frame, concrete footings, rigid plastic
- Cost (\$20.00-\$30.00 per sq ft)



Pardossi et al. 2004

Copyright (C) The Aquaponic Source

13

High Tech Greenhouses

- Plant-response-based environmental control to optimize plant growth, maximize productivity and fruit quality.
- Computerized climate control of greenhouse (temperature, irrigation, shading based on integrated light, CO₂ enrichment.)
- Aluminum Frame, concrete footings, double layered poly panels
- Engineered to meet local wind, snow loads
- Cost (\$40.00-\$50.00 per sq ft)



Copyright (C) The Aquaponic Source

14

Energy Efficient Greenhouses

- Uses the most current standards in energy efficiency
- Thermal mass, phase change materials, ground to air heat transfer, building orientation, roof angle, venting systems and much more to reduce the demand for heating and cooling
- Higher initial building costs offset by lower energy consumption
- Cost \$35+ per sq ft



Copyright (C) The Aquaponic Source

15

Estimated Greenhouse Costs

- \$3 – \$4** Metal Pipe Frame includes steel pipe, wooden-framed end walls, with plastic film cover
- \$4 - \$5** Wooden Frame of construction-grade lumber, and plastic film cover
- \$6 - \$7** Wooden Frame of construction-grade lumber, and single-layer, rigid plastic cover
- \$9 - \$10** Wooden Frame of construction-grade lumber, and structured sheet rigid plastic cover
- \$25 - \$30** Aluminum frame, concrete footings, structured sheet rigid plastic or single-layer glass cover from a kit.
- \$40 - \$50** Aluminum frame, concrete footings, double-layer tempered glass cover from a kit.

Copyright (C) The Aquaponic Source

CEAC – U of Arizona

16

Covering Materials & Considerations

- Light transmission, diffusion, quality
- Heat loss and thermal resistance
- Condensation
- Durability, lifespan, replacements
- Size
- Availability
- Cost

Copyright (C) The Aquaponic Source

17

Polyethylene Plastic Film

- Short life span, 3-4 years
- Covering materials are 4 to 6 mil thick
- Infrared (IR) blockers = less heat loss
- Anti-condensate AC materials
- Cost around \$0.16/sq ft
- Double poly layers with air pocket in between to increase r-value and reduce light transmission
- Use outside air to inflate



Copyright (C) The Aquaponic Source

18

Solexx Greenhouse Wraps

- Light weight
- Structured air pocket
- Good defused light
- Easy to install
- 10 year warranty
- 2.1 R value
- Comes in rolls or panels




Copyright (C) The Aquaponic Source

19

Polycarbonate


- Easy to install
- Longer life span 10+ years
- Stronger and lighter than glass
- Flame retardant
- Widely used and readily available
- Double and triple walls provide better r-value
- Used on end walls and roof
- Cost \$1.5/sq ft



Copyright (C) The Aquaponic Source

20

Glazing Comparison



Comparison of annual heating costs with various Greenhouse Coverings using Denver, Colorado as the greenhouse location. The 8' x 12' greenhouse is kept at a minimum temperature of 45 degrees all year using natural gas at \$2 per therm as the heat source. Data was compiled from the USDA Virtual Grower software.

Copyright (C) The Aquaponic Source

21

Greenhouse Loads

- Work with your local greenhouse company, extension agents or look at NGMA standards for greenhouse loads
- Dead loads – The weight of all permanent construction and building materials, rooftop, equipment
- Live loads – Temporary loading such as snow, debris, equipment – max 15lb ft²
- Wind – 70-80mph common design

Copyright (C) The Aquaponic Source

22

Greenhouse Orientation

Below 40° latitude:

- Ridges running North-South direction
- Provides better light distribution (moving shadows), more important than light transmission optimization

Above 40° latitude:


- Ridges of single-span houses running East-West to maximize light intensity in the greenhouse
- Run ridges of multi-span houses North-South for light distribution

*Kacira, 2012 UA CEAC

Copyright (C) The Aquaponic Source

23

Sun Exposure



Copyright (C) The Aquaponic Source

Figure: Haines, Ron, and Andy Shapiro. 1981. Low Cost Passive Solar Greenhouses. National Center for Appropriate Technology, Butte, MT. 173 p.

24

Passive Solar Greenhouses

- Roof angle and building oriented to seasonal sun
- Reflect/deflect sun in summer, draw in sun during low angle winter months
- Solid north wall and roof
- Reduced heating/cooling
- Thermal mass – water, rock, concrete
- Geothermal elements
- Built like a house, requires permit



Copyright (C) The Aquaponic Source

25

Insulation below ground

- Installing insulation around the perimeter of a building between wall insulation and four feet below grade effectively ***couples the structure to deep earth beneath the footprint of the structure.***
- Equally important, it ***decouples the structure from the surface of the earth immediately*** surrounding the structure, thereby isolating the building from soil whose temperatures vary substantially from season to season.
- In the winter and spring, the temperature at 4 feet under the soil of the research greenhouse averaged 60° F, by August it was over 65° F. The soil outside of the greenhouse at a depth of 4 feet averages 51° F.


Copyright (C) The Aquaponic Source

26



Key Elements


1) Faces South
Windows mostly on South, but also East and West.
Roof can be polycarbonate plastic or partially or fully insulated.




2) Super Insulated
Highly, highly insulated walls (made out of Structurally Insulated Panels) prevent too much heat loss / heat gain

3) Lots of Thermal Mass
The soil underneath the greenhouse is used as thermal mass, evening out temperature

4) Self-Heating
Ground to Air Heat exchanger (aka climate battery) makes the greenhouse self-heating and






The problem with conventional greenhouses...

Heat Loss

Energy cost ball park: \$3-4/SF/ year for heating, cooling and ventilation in typical greenhouse in Colorado.

Copyright (C) The Aquaponic Source

CERES GREENHOUSE SOLUTIONS



Walipini (the underground greenhouse)

- "Walipini" comes from the Aymara Indian language and means "place of warmth"
- Locating the growing area 6'-8' underground and capturing and storing daytime solar radiation are the most important principles in building a successful Walipini

Photos: Benson Agriculture and Food Institute
Brigham Young University, 2002

Copyright (C) The Aquaponic Source

Walipini cont...

- When the temperature above ground is cold, say 10° F with a cold wind, the soil temperature at 4' deep in the earth will be at least fifty degrees in most places.
- Example: An underground temperature of 50° requires heating the Walipini's interior only 30° to reach an ambient temperature of 80°.
- An above ground temperature of 10° requires heating a greenhouse 70° for an ambient temperature of 80°

Copyright (C) The Aquaponic Source

Insulation Considerations

- Insulate the north wall and roof if possible
- Seal up around vents, holes, cracks, doors, etc
- Add another layer of clear poly with air pocket
- Avoid heat loss in tanks, rafts, sump, etc.
- Insulate system components to maintain temp
- Retractable insulation blankets, night curtain
- Thermal mass/geothermal inside and out
- Insulate the foundation (if there is one)

Copyright (C) The Aquaponic Source

34

Floor Considerations

- Dirt, rock, sand – not ideal, can't be sanitized
 - Mud, pathogens, weeds, debris, plant matter
 - Concerns for stability for system weight
- Landscape fabric – better, can be swept, hard to sanitize
- Hardscape – concrete, brick, slate
 - Can be swept and sanitized
 - Harder to do below grade plumbing or sumps

Copyright (C) The Aquaponic Source

35

Interior Space Planning

- Circulation space
- Physical and bio-secure entrance
- Customer front end – market, meeting space
- Loading/unloading area
- Seed starting, germination, nursery space
- Cutting, transplanting and harvesting space
- Storage, refrigeration, food prep, etc
- Rest room, hand washing facility
- Water access, electrical outlets
- Lab area for testing, recording data, laptop

Copyright (C) The Aquaponic Source

36

Exterior space planning

- Street access, gates, security
- Parking and loading dock areas, fish delivery
- Weed control outside of greenhouse
- Site slope, soils, sun and trees
- Pest, predator and other contaminant prevention
- Physical barriers and proximity to others
- Backup generator
- Site drainage from greenhouse
- Composting site, outdoor garden



Water pooling outside greenhouse can seep in and also be a vector for pests

Copyright (C) The Aquaponic Source

37

Aquaponics Considerations

- Understand your tank footprints, circulation and plumbing requirements
- Keep fish tanks in the warmest part of the greenhouse, insulate in winter
- Don't place tanks where they will restrict airflow or cooling walls
- Filtration tanks, pump(s) and aeration
- Nursery and purge tanks
- Water storage and filtration systems
- Water discharge, floor drains
- Ensure access for fish deliveries
- Tanks and deep water culture provide additional thermal mass



Copyright (C) The Aquaponic Source

38

Head House for Fish


- Consider separating fish and plants
- Fish don't need intense greenhouse sunlight
- Maintain better temperature controls
- O₂ & CO₂ exchange, degas tank in greenhouse, venting system, fans
- Greenhouse space is premium for growing plants
- Lose some thermal mass
- Repurpose barn, shed, etc



Copyright (C) The Aquaponic Source

39

The Flourish Farms Aquaponic Course



On-Site Cooler

- Necessary to keep harvested plants food safe until delivery
- Sized according to the volume of harvest and storage
- Used to store fish feed and seeds outside of growing area
- Can be a tow-behind trailer unit, a refrigerator, a container cooler or walk in unit
- Plans for making a cooler unit are available on the internet using an insulated space, an air conditioner and a "coolbot" controller to maintain refrigeration temps

Copyright (C) The Aquaponic Source

41

Indoor Building Growing

Barn, warehouse, shed, mall, office building, basement, garage

- Lighting is the biggest expense
- Heating and cooling may be reduced or increased by building
- Ventilation and air circulation critical
- Biosecurity and pest management similar to greenhouse
- Zoning and building use permits may be challenging
- Vertical growing suggested to maximize footprint
- Potentially higher rent/mortgage rate and insurance costs
- Good to repurpose unused buildings
- So far not a great track record with indoor food production

Copyright (C) The Aquaponic Source

42

Building Security

- Way to lock the building
- Double entry vestibule ideal to help with biosecurity
 - Keep animals, birds and reptiles out
 - Double doors helps block dust and flying insects
 - Location for footbath, personal belongings storage, hand washing or sanitizing, record keeping, storage space
- Security alarm helpful to discourage intruders
- Security service can call emergency contacts for power outage, intruder detection, or other issues
- Security service can also dispatch emergency personnel

Copyright (C) The Aquaponic Source

43
